



NEW

G5-56 (K-5.6)

- Will be replacing the G4A
- **SIN RA3415**
- See Bulletin 034

G5-42 (K-4.2)

- **SIN RA3413**
- See Bulletin 034

G5-28 (K-2.8)

- **SIN RA3411**
- See Bulletin 034



New - Perforated Cover Plate

Please refer to the latest bulletin for specific approval listings and available finishes. See our "Specialties Page" for special finish charges — including Teflon Tape. Items that are MTO allow 7-10 work days.

Part Number	K-Factor	Temperature	Finish	List Price
G5-56 SPRINKLER				
G51B	5.6	165°F 74°C	Bronze	\$ 42.72
G52B	5.6	212°F 100°C	Bronze	\$ 42.72
G5-42 SPRINKLER				
G5421B	4.2	165°F 74°C	Bronze	\$ 52.99
G5422B	4.2	212°F 100°C	Bronze	\$ 52.99
G5-28 SPRINKLER				
G5281B	2.8	165°F 74°C	Bronze	\$ 52.99
G5282B	2.8	212°F 100°C	Bronze	\$ 52.99
PLAIN COVER PLATES				
CG40C	—	135°F 57°C	Chrome	\$ 27.50
CG40W	—	135°F 57°C	White	\$ 27.50
CG40SP	—	135°F 57°C	Specialty	\$ 37.50
CG41C	—	165°F 74°C	Chrome	\$ 27.50
CG41W	—	165°F 74°C	White	\$ 27.50
CG41SP	—	165°F 74°C	Specialty	\$ 37.50
PERFORATED COVER PLATES				
CG40CP	—	135°F 57°C	Chrome	\$ 29.70
CG40WP	—	135°F 57°C	White	\$ 29.70
CG40SPP	—	135°F 57°C	Specialty	\$ 39.70
CG41CP	—	165°F 74°C	Chrome	\$ 29.70
CG41WP	—	165°F 74°C	White	\$ 29.70
CG41SPP	—	165°F 74°C	Specialty	\$ 39.70
IF REPLACING INSTALLED G4A SPRINKLERS, NEED REQUIRED ADAPTER				
6999991900	1/2" x 1/2"			\$ 3.64

WFC Requires Model FC Wrench \$ 232.00

Features

- UL listed as Quick Response Sprinkler; FM approved as Standard Response
- Threaded cover plate with its proven secure installation history
- Smooth, flat aesthetic ceiling profile
- Full 3/4" adjustment; 1/4" more than the G4A
- More compact design for easier installation in congested ceiling spaces
- Factory installed plastic protective cap with protective lip and secure threaded fit
- Uses the FC sprinkler wrench for easy installation
- Available with optional perforated cover plate

Notes:

For custom finishes, customer should provide paint sample. Allow at least 2-3 weeks. A set-up charge is required for all orders under



NEW

G5-56 QR "Sealing" Concealed

- K-Factor = 5.6
- **SIN RA3415**
- See Bulletin 043

G5-42 QR "Sealing" Concealed

- K-Factor = 4.2
- **SIN RA3413**
- See Bulletin 043

G5-28 QR "Sealing" Concealed

- K-Factor = 2.8
- **SIN RA3411**
- See Bulletin 043

Please refer to the latest bulletin for specific approval listings and available finishes. See our "Specialties Page" for special finish charges — including Teflon Tape. Items that are MTO allow 7-10 work days.

Part Number	K-Factor	Temperature	Finish	List Price
G5-56 SPRINKLER				
G51B	5.6	165°F 74°C	Bronze	\$ 42.72
G52B	5.6	212°F 100°C	Bronze	\$ 42.72
G5-42 SPRINKLER				
G5421B	4.2	165°F 74°C	Bronze	\$ 52.99
G5422B	4.2	212°F 100°C	Bronze	\$ 52.99
G5-28 SPRINKLER				
G5281B	2.8	165°F 74°C	Bronze	\$ 52.99
G5282B	2.8	212°F 100°C	Bronze	\$ 52.99
REQUIRED QUICK RESPONSE COVER PLATES WITH GASKET ASSEMBLY				
CG5S0W	—	135°F 57°C	White	\$ 70.35
CG5S1W	—	165°F 74°C	White	\$ 70.35

WFC Requires Model FC Wrench \$ 232.00

A Quick Response "Sealing" Concealed Sprinkler with a 3/4" (19mm) Adjustment and a Dust Tight Seal

Features

- Cover plate with gasket seal for Quick Response may be assembled to a G5-56, G5-42, and G5-28 Sprinkler for dust free environments
- A total adjustment of 3/4" (19mm) provided by standard inlet version.
- White "Sealing" Concealer Gasket is Listed with G4 Cover Plate available in white paint. Other cover plate finishes and colors are available. Consult with factory.
- Ordinary and intermediate temperature rating available.
- The cover plate does not require clips or springs.
- Cover plate & gasket are only sold as an assembly. The gasket cannot be purchased as an individual part.

Notes:

For custom finishes, customer should provide paint sample. Allow at least 2-3 weeks. A set-up charge is required for all orders under 500 pieces. Consult factory for details.



NEW

G5-56 300 QR
"Sealing" Concealed

- K Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 046

Please refer to the latest bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.

Part Number	K-Factor	Temperature	Finish	List Price
G5-56 300 SPRINKLER				
G51B3	5.6	165°F 74°C	Bronze	\$ 45.15
REQUIRED QUICK RESPONSE COVER PLATE WITH GASKET ASSEMBLY				
CG5S0W	—	135°F 57°C	White	\$ 70.35

WFC Requires Model FC Wrench \$ 232.00

Features

- Cover plate with gasket seal for **Quick Response** may be assembled to a G5-56 300 Sprinkler for dust free environments.
- A Total adjustment of 3/4" (19mm) provided by standard inlet version.
- White "Sealing" Concealer Gasket is Listed with G4 Cover Plate available in white paint. Other cover plate and colors are available. Check with the factory.
- Ordinary temperature rating.
- The cover plate does not require clips or springs.



NEW

G5-56 300 Concealer

- Will be replacing the G4A -300
- K Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 040

Part Number	K-Factor	Temperature		Finish	List Price
G5-56 300 SPRINKLER					
G51B3	5.6	165°F	74°C	Bronze	\$ 45.15
PLAIN COVER PLATES					
CG40C	—	135°F	57°C	Chrome	\$ 27.50
CG40W	—	135°F	57°C	White	\$ 27.50
CG40SP	—	135°F	57°C	Specialty	\$ 37.50
CG41C	—	165°F	74°C	Chrome	\$ 27.50
CG41W	—	165°F	74°C	White	\$ 27.50
CG41SP	—	165°F	74°C	Specialty	\$ 37.50
PERFORATED COVER PLATES					
CG40CP	—	135°F	57°C	Chrome	\$ 29.70
CG40WP	—	135°F	57°C	White	\$ 29.70
CG40SPP	—	135°F	57°C	Specialty	\$ 39.70
CG41CP	—	165°F	74°C	Chrome	\$ 29.70
CG41WP	—	165°F	74°C	White	\$ 29.70
CG41SPP	—	165°F	74°C	Specialty	\$ 39.70

WFC Requires Model FC Wrench \$ 232.00



New - Perforated Cover Plate

Features

- Cover plate attachment (Plain or Perforated) with 3/4" (19mm) total adjustment. Does not require clips or springs.
- Smooth, flat aesthetic ceiling profile
- Factory installed protective cap.
- 300 psi (20.7 bar) maximum pressure rating.

Notes:

For custom finishes, customer should provide paint sample. Allow at least 2-3 weeks. A set-up charge is required for all orders under 500 pieces. Consult factory for details.

Please refer to the latest bulletin for specific approval listings and available finishes.
See our "Specialties Page" for special finish charges — including Teflon Tape.
Items that are MTO allow 7-10 work days.



**G4A ADJUSTABLE
CONCEALED**

- Concealed
- See Bulletin 154

Part Number	Size	Temperature	Finish	List Price
SPRINKLER ONLY				
G4A1M	1" Adjust Male	165°F 74°C	Bronze	\$ 114.17
G4A1F	1" Adjust Female	165°F 74°C	Bronze	\$ 114.17
G4A2M	1" Adjust Male	212°F 100°C	Bronze	\$ 114.17
G4A2F	1" Adjust Female	212°F 100°C	Bronze	\$ 114.17
REQUIRED COVERPLATES				
CG40B	—	135°F 57°C	Bronze	\$ 37.50
CG40C	—	135°F 57°C	Chrome	\$ 27.50
CG40W	—	135°F 57°C	White	\$ 27.50
CG40SP	—	135°F 57°C	Specialty	\$ 37.50

WG4 Requires Model G4 Wrench \$ 232.00

Notes:

For custom finishes, customer should provide paint sample.
Allow at least 2-3 weeks. A set-up charge is required for all orders under 500 pieces. Consult factory for details.

Please refer to the latest bulletin for specific approval listings and available finishes. See our "Specialties Page" for special finish charges — including Teflon Tape. Items that are MTO allow 7-10 work days.



F1FR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA1414**
- Push-On/Thread-off
- See Bulletin 014

F1FR56-300/CCP


- K-Factor = 5.6 (80)
- **SIN RA2614**
- Push-On/Thread-off
- 300 PSI Rated
- See Bulletin 026

Part Number	Temperature	Finish	List Price
1/2" ORIFICE, 1/2" NPT THREADS (15MM)			
F1FR56C0	135°F 57°C	Bronze	\$ 29.62
F1FR56C1	155°F 68°C	Bronze	\$ 29.62
F1FR56C5	175°F 79°C	Bronze	\$ 29.62
F1FR56C2	200°F 93°C	Bronze	\$ 29.62
1/2" ORIFICE, 1/2" NPT THREADS (15MM) — 300 PSI			
F1FR56C03	135°F 57°C	Bronze	\$ 31.23
F1FR56C13	155°F 68°C	Bronze	\$ 31.23
REQUIRED COVERPLATES (5/16")			
CCP05C76	135°F 57°C	Chrome	\$ 63.95
CCP05W76	135°F 57°C	White	\$ 24.92
CCP05SP76	135°F 57°C	Specialty	\$ 41.85
CCP15C76	165°F 74°C	Chrome	\$ 63.95
CCP15W76	165°F 74°C	White	\$ 24.92
CCP15SP76	165°F 74°C	Specialty	\$ 41.85
REQUIRED COVERPLATES (1/2" - 15MM)			
CCP0C76	135°F 57°C	Chrome	\$ 63.95
CCP0W76	135°F 57°C	White	\$ 24.92
CCP0SP76	135°F 57°C	Specialty	\$ 41.85
CCP1C76	165°F 74°C	Chrome	\$ 63.95
CCP1W76	165°F 74°C	White	\$ 24.92
CCP1SP76	165°F 74°C	Specialty	\$ 41.85

WRC Requires Model RC1 Sprinkler Wrench \$ 233.00

Notes:

For custom finishes, customer should provide paint sample.
Allow at least 2-3 weeks. A set-up charge is required for all orders under 500 pieces. Consult factory for details.



Part Number	Size	Temperature	Finish	List Price
F4FR-NF WITH COVERPLATE				
F4FRNFW	1/2" x 1/2" NPT (15mm)	135°F 57°C	White	\$ 147.46
F4FRNFC	1/2" x 1/2" NPT (15mm)	135°F 57°C	Chrome	\$ 147.46
F4FRNF1W	1/2" x 1/2" NPT (15mm)	155°F 68°C	White	\$ 147.46
F4FRNF1C	1/2" x 1/2" NPT (15mm)	155°F 68°C	Chrome	\$ 147.46

Non-Ferrous

WG4 Requires Model G4 Sprinkler Wrench \$ 232.00

F4FR-NF

- Designed for:
 - MRI Rooms
 - Corrosive Environments
 - Swimming Areas
- Quick Response
- Concealed
- See Bulletin 002



XL Commercial

- **Pendent (SIN R4514)**
- **HSW (SIN R4534)**
- No Exposed Heating Element!
- See Bulletin 145

Please refer to the latest bulletin for specific approval listings and available finishes. See our "Specialties Page" for special finish charges — including Teflon Tape. Items that are MTO allow 7-10 work days.

Part Number	Temperature	Finish	List Price
XL PENDENT			
XLQRPC	165°F 75°C	Chrome	\$ 107.92
XLQRPW	165°F 75°C	White	\$ 111.77
XL HSW			
XLQRHC	165°F 75°C	Chrome	\$ 134.91
XLQRHW	165°F 75°C	White	\$ 138.76
REQUIRED ESCUTCHEONS FOR MODEL XL FLAT			
ZXFPC		Chrome	\$ 21.51
ZXFPW		White	\$ 21.51
REQUIRED ESCUTCHEONS FOR MODEL XL CONICAL			
ZXCPC		Chrome	\$ 21.51
ZXCPW		White	\$ 21.51
REQUIRED ESCUTCHEONS FOR MODEL XL HSW			
ZXCHC		Chrome	\$ 21.51
ZXCHW		White	\$ 21.51
2-PIECE REQUIRED ESCUTCHEONS FOR MODEL XL PENDENT			
ZX2PC		Chrome	\$ 26.43
ZX2PW		White	\$ 27.57

WZXP	Requires Model ZX (Pendent) Sprinkler Wrench	\$	232.00
WZXH	Requires Model ZX (Horizontal) Sprinkler Wrench	\$	232.00